


REV	DESCRIPTION	DATE
-----	-------------	------

△ RDCM-109014

林淑娟 2020/04/14



NOTE :

1. MAXIMUM ELECTRIC CURRENT :

A.W.G.	16	14
AMP.	10	15
2. MAXIMUM ELECTRICAL RATING : 75°C 600 VOLTS MAX.
3. INSULATION MATERIAL : VINYL
4. INSULATION COLOR : BLUE
5. TERMINAL MATERIAL : BRASS
6. WIRE RANGE : 16-14 A.W.G. (1.5-2.5 mm²)
8. DOUBLE CRIMP : WITH COPPER SLEEVE ON BARREL
9. TERMINAL SURFACE TREATMENT : TIN PLATED
10. TERMINAL THICKNESS : 0.40 mm

Tolerance Unless Otherwise Specified	
0 > 6 mm ± 0.20	ANGLE
6 > 18 mm ± 0.30	0° REF ±
18 > 30 mm ± 0.40	° ±
30 > 75 mm ± 0.50	° ±

NAME	VINYL-INSULATED DOUBLE CRIMP RECEPTACLE DISCONNECTORS				UNIT	mm	⊕	□
PART NO.	VBF2-4	MATERIAL	-----	APPROVE	[Signature]			
NUMBER	KA-95173-C	SCALE	REV.	SHEET	CHECKED	[Signature]		
DATE	2006/03/27	4/1	1-1	10F1	DRAWN	張馨尹		